HOY 0 6 2003

M PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

## U.S. PATENT DOCUMENTS

EXAM. INIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
	AL	07/348,237	5/5/89	Rosenblum et al.			
SAR	A2	4,196,265	4/1/80	Koprowski et al.			
	A3	4,469,797	9/4/84	Albarella			
7	A4 )	4,676,980	6/30/87	Segal et al.			
1	A5	4,816,567	3/28/89	Cabilly et al.			
1	A6	4,946,778	8/7/90	Ladner et al.			
1	A7	5,019,368	5/28/91	Epstein et al.			
	A8	5,073,627	12/17/91	Curtis et al.			
	A9	5,114,711	5/19/92	Bell et al.			
	A10	5,116,964	5/26/92	Capon et al.			
1	A11	5,199,942	4/6/93	Gillis			
1	A12	5,225,538	7/6/93	Capon et al.			
$\top$	A13,-	5,225,539	7/6/93	Winter			
1	- A14	5,258,498	.11/2/93	Huston et al			RECEN
į.	A15	5,314,995	5/24/94	Fell, Jr. et al.			NOV
	A16	5,349,053	9/20/94	Landolfi		7	ACH 021-
	A17	5,359,035	10/25/94	Habermann		1	RECEIV NOV 1 0 ZO ECH CENTER 1600
-	A18	5,514,582	5/7/96	Capon et al.			
-	A19	5,538,866	7/23/96	Israeli et al.			
<del></del>	A20	5,541,087	7/30/96	Lo et al.			
-	A21	5,543,297	8/6/96	Cromlish, et al.			
+	A22	5,552,524	09/03/96	Basinski et al.			
<del> </del>	A23	5,585,089	12/17/96	Queen et al.			
+	A24	5,609,846	3/11/97	Goldenberg			
1	A25	5,624,821	4/29/97	Winter et al.			

**EXAMINER** 

DATE CONSIDERED

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001

GROUP: 1644

						1
Sal	Ã26	5,639,725	6/17/97	O'Reilly et al.		
1	A27	5,645,835	7/8/97	Fell, Jr. et al.		
	A28	5,650,492	7/22/97	Gately et al.		
	A29	5,667,776	9/16/97	Zimmerman et al.		
	A30	5,679,543	10/21/97	Lawlis		
+-	A31	5,691,309	11/25/97	Basinski et al.		
1	·A32	5,709,859	1/20/98	Aruffo et al.		
-	A33	5,719,266	02/17/98	DiMarchi et al.		
1	A34	5,726,044	3/10/98	Lo et al.		
	A35	5,728,552	3/17/98	Fujisawa et al.		
1	Á36	5,733,876	3/31/98	O'Reilly et al.		
_	Á37	5,756,461	05/26/98	Stephens		
	A38	5,759,551	6/2/98	Ladd et al.		
_	A39	5,770,195	6/23/98	Hudziak et al.		
	A40	, 5,800,810	9/1/98	Doyle et al.		
_	A41	5,807,715	9/15/98	Morrison et al.		
	A42	5,827,516	10/27/98	Urban et al.		
	A43	5,837,682	11/17/98	Folkman et al.		
_	A44	5,843,423	12/1/98	Lyman et al.	KECEI	1
	A45	5,854,205	12/29/98	O'Reilly et al.	RECEIN NOV 1 0 2	
	A46	5,856,298	1/5/99	Strickland	TECH CENTED	1
	A47	5,858,347	1/12/99	Bauer et al.	ON OFMICH 18	
	A48	5,885,795	3/23/99	O'Reilly et al.		
	A49	5,886,178	3/23/99	Allen et al.		
_	A50	5,888,772	3/30/99	Okasinski et al.		
	A51	5,922,685	7/13/99	Rakhmilevich et al.		
-	A52	5,994,126	11/30/99	Steinman et al.		brack
4	A53	6,080,409	6/27/00	Laus et al.		7

	//		<del></del>
EXAMINER David ax	aunders	DATE CONSIDERED	3/1/04

RM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

onl	A54	6,086,875	7/11/00		Blumber	rg et al.		Τ.				
	A55	6,169,070	1/2/01		Chen et	al.		-	_			
1	A56	6,171,588	1/9/01		Carron e	t al.		1				
L.	A57	6,277,375	8/21/01		Ward			1				
	A58	6,348,192	2/19/02		Chan et	al.						
1	A59	6,406,689	6/18/02		Falkenb	erg et al.		1_				
			FOI	REIG	GN PAT	ENT DO	CUMEN	TS			· · · · · · ·	
EXAM. INIT.		DOCUMENT NUMBER	DATE	CO CO	UNTRY	CLASS	SUB CLASS	FILING DATE		ABSTRACT ONLY		ENGLISH LANG (Y/N)
Janl	Ві	0 158 198 A1	10/16/85	EP	-		-					Y
<u> </u>	B2	0 211 769 A2	2/25/87	EP								Y
	В3	0 256 714 A2	2/24/88	EP								Υ
	B4	0 294 703 A2	12/14/88	EP						RE	Ì	Y
N,	<b>B</b> 5	0 308 936 B1	3/29/89	EP							UE	WED
V	В6	0 314 317 B1	5/3/89	EP					7	TO:	VI	y
	B7	0 318 554 B1	6/7/89	EP		_	_		ľ	CUH CEN	TER :	<del>3903</del> 900/2900
	В8	0 319 012 A2	6/7/89	EP		_			$\perp$		,	UU/2900
	В9	0 326 120 B1	8/2/89	EP								Y
	B10	0 350 230 A2	1/10/90	EP								Υ
	B11	0 375 562 B1	6/27/90	EP								Υ
	B12	0 396 387 A2	11/7/90	EP					$\perp$			Y
	B13	0 439 095 A2	7/31/91	EP						•		Υ
	B14	0 511 747 A1	11/4/92	EP								Υ
	BÍ5	0 601 043 B1	6/15/94	EP	-				$\perp$			Y
	B16	0 640 619 A1	3/1/95	EP			-,-		$\perp$			Y
	B17	0 668 353 A1	8/23/95	EP					_			Y
	B1,8	0 706 799 A2	4/17/96	EP		_	1.			-		Y
V	B19	0 790 309 A1	8/20/97	EP		_						Y

EXAMINER David as aunders

DATE CONSIDERED

ATTORNEY DOCKET NO.: LEX-011 (4006/23) FORM PTO - 1449 SUPPLEMENTAL INFORMATION APPLICANT(S): Gillies et al. DISCLOSURE STATEMENT CONF.: 8264 SERIAL NO.: 09/780,668 FILING DATE: February 09, 2001 GROUP: 1644 Y B20 21725/88 3/23/89 ΑU sus N 7/14/93 -CN-93100115.3 B21 Y 7/14/93 CN B22 93100115.3 DE 37 12985 AT 11/3/88 B23 Y Y DE 37 12985 11/2/88 Da **B24** Y 2/21/96 GB B25 2 292 382 A JP. N 63-267278 11/4/88 B26 Y Y 11/4/88 JP M 63-267278 B27 N 11/4/88 JP D28 63-267296 Y B29 63-267296 11/4/88 JP English counterpart of JP 63-267296 Y EP B30 0 237 019 A2 9/16/87 Y B31 WO 86/01533 3/13/86 PCT Υ **PCT** WO 88/00052 1/14/88 B32 Y **PCT** WO 88/09344 12/1/88 B33 WO 89/02922 4/6/89 PCT PCT Abstract in English 10/19/89 B35 WO 89/09620 **PCT** WO 90/03801 4/19/90 **PCT B**37 WO 91/00360 1/10/91 WO 91/04329 04/04/91 **PCT** B38 WO 91/08298 6/13/91 **PCT** B39 PCT WO 91/13166 9/5/91 B40 PCT WO 91/14438 10/3/91 B41 Y WO 92/02240 2/20/92 **PCT** B42 Υ PCT WO 92/08495 5/29/92 B43 Y PCT WO 92/08801 5/29/92 **B44** Y WO 92/16562 **PCT** 10/1/92 B45 Υ 2/18/93 **PCT** 

EXAMINER Sound a & almales Date considered

PCT

5/27/93

WO 93/03157

WO 93/10229

B46

III i

NOV 0 6 2003 2

FOM PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

	-					, D.1.12		77, 2001			
Dul	B48	WO 94/24160	10/27/94	PCT						Υ	
	B49	WO 94/25055	11/10/94	PCT		<u></u>				Y	
	B50	WO 95/05468	2/23/95	РСТ	1					Y	
_	B51	WO 95/21258	8/10/95	РСТ						Υ	
1	B52	WO 95/28427	10/26/95	PCT						Y	
	B53	WO 95/31483	11/23/95	PCT		_				Υ	
$\dashv$	B54	WO 96/04388	02/15/96	PCT						Υ	
1	B55	WO 96/05309	2/22/96	PCT						Υ	
	B56	WO 96/08570	3/21/96	PCT						Y	
	B57	WO 96/31526	10/10/96	PCT						Υ	
	B58	WO 97/00317	1/3/97	PCT						Y	
	B59	WO 97/15666	5/1/97	РСТ						Y	
	B60	WO 97/20062	6/5/97	РСТ						Υ	
	B61	WO 97/24137	7/10/97	РСТ						Υ	
	B62	WO 97/24440	7/10/97	РСТ	_	_				Y	
	B63	WO 97/26335	7/24/97	РСТ	~~					Υ	
1.	B64	WO 97/30089	8/21/97	PCT	_					Y	
7.	B65	WO 97/33617	9/18/97	PCT	/					Y	
1	B66	WO 97/33619	9/18/97	PCT	_					Υ	
l	B67	WO 97/34631	9/25/97	РСТ					F	PEO-	
	B68	WO 97/43316	11/20/97	РСТ	_				7	を し に し に し に し に し に し に し に に に に に に に に に に に に に	VEI
	B69	WO 98/00127	1/8/98	PCT					Tra	MOV 1 0	2003
	B70	WO 98/06752	2/19/98	PCT	_		:		TECH	CENTER 10	0/0-
	B71	WO 98/28427	7/2/98	PCT						NOV 1 0 ;	14/2900
	B72	WO 98/30706	7/16/98	PCT	_					Y	]
	∕B73	WO 98/46257	10/22/98	PCT	_					Y	
	B74	WO 98/59244	12/30/98	PCT	_					Y	]
1	B75	WO 99/02709	01/21/99	PCT		-				Y	]

EXAMINER DUING UN GUINGLE DATE CONSIDERED 3/1/04

NOW 0 6 2003

SUPPLEMENTAL INFORMATION
DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668 CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

					LITTING	DATE:	rebruary 0	9, 2001	UKOU	P. 1044	
sul	B76	WO 99/03887	01/28/99	PCT						Y	
)	B77	WO 99/29732	6/17/99	PCT		-				Υ	-
	B78	WO 99/52562	10/21/99	PCT		.~				Y	
,	B79	WO 99/53958	10/28/99	PCT						Y	
1	B80	WO 99/60128	11/25/99	PCT						Y	
	B81	WO 99/62944	12/09/99	PCT						Y	
	B82	WO 99/66054	12/23/99	РСТ						Y	
+	B83-	WO 00/11033	3/2/00	PCT				-		Y	
	B84	WO 00/34317	06/15/00	PCT						Y	
1,	B85	WO 00/40615	7/13/00	РСТ						Y	
	B86	WO 00/68376	11/16/00	PCT					-	Υ	1
	B87	WO 00/69913	11/23/00	PCT		~				Y	Ì
	B88	WO 00/78334 A1	12/28/00	PCT	_					Y	
	B89	WO 01/07081 A1	2/1/01	PCT		~				Y	
	B90	WO 01/10912- A1	2/15/01	PCT	) ;	_				REC	
	B91	WO 03/015697 A2	2/27/03	PCT	~				77	Y NOV	EIVE
EXAM. NIT.		OTHER DO	CUMENTS	S: (Including /	Author, Tit	le, Date, F	televant Pag	ges, Place	of Publica	NO CENTE	160000
Dus	Cl	B90 WO 01/10912- 2/15/01 PCT  A1  B91 WO 03/015697 A2  OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) CENTER 1600/2  Abaza et al., (1992), "Effects of Amino Acid Substitutions Outside an Antigenic Site on Protein Binding to Monoclonal Antibodies of Predetermined Specificity Obtained by Peptide Immunization," Journal of Protein Chemistry, 11:5:433-444.									] 00/290
	C2	Abstract XP-002116766, (1996), "Prostaglandins, their inhibitors and cancer," <u>Prostaglandins, Leukotrienes</u> and <u>Essential Fatty Acids</u> , 54:2:83-94.									
$\top$	C3	Afonso et al. Science, 263		ne Adjuvant Ef	fect of Inter	leukin-12	in a Vaccine	Against L	eishmania	Major,"	
	C4	Arenberg et a Human Non- 184:981-992	small Cell I	Interferon-y-ind Lung Cancer (N	lucible Prot SCLC) Tur	ein 10 (IP- norigenesi	10) Is an An s and Sponta	giostatic F neous Me	actor That tastases," <u>J</u>	Inhibits I. Exp. Med,	

EXAMINER David a Sunder DATE CONSIDERED 3/1/04

			011221 / 01 10
M P	TO - 14	449	ATTORNEY DOCKET NO.: LEX-011 (4006/23)
		AL INFORMATION	APPLICANT(S): Gillies et al.
SCLO	SURE	STATEMENT	SERIAL NO.: 09/780,668 CONF.: 8264
			FILING DATE: February 09, 2001 GROUP: 1644
ref	C5		tor-Targeted Cytotoxicity Interleukin 2 Receptor-mediated Action 2 Fusion Protein," J. Experimental Medicine, 167:612-622
	C6		s-Mediated Gene Transfer of an Angiostatin-Endostatin Fusion rities In Vivo," Proceedings of the Annual Meeting of the American Abstract #1856.
	C7		cterization and selective inhibition of human prostaglandin G/H irus system," <u>Biochimica et Biophysica Acta</u> , 1209:130-139.
	C8	Baselga, et al., (1998), "Recombinant Hur Antitumor activity of Paclitazel and Doxo Xenografts," <u>Cancer Research</u> , 58:2825-2	manized Anti-HER2 Antibody (Herceptin TM) Enhances the probicin against HER3/neu Overexpressing Human Breast Cancer 1831.
	C9	Batra et al., (1993), "Insertion of Constant Plasma Half-Life," Mol. Immunol., 30:37	t Region Domains of Human IgG1 into CD4-PE40 Increases Its 9-386.
	C10	Becker et al., (1996), "An Antibody-Interl Induction of a Cellular Immune Response	leukin 2 Fusion Protein Overcomes Tumor Heterogeneity by ," Proc. Natl. Acad. Sci., 93:7826-7831.
,	CII	Becker et al., (1996), "Eradication of hum antibody-interleukin 2 fusion proteins," P	nan hepatic and pulmonary melanoma metastases in SCID mice by roc. Natl. Acad. Sci. USA, 93:2702-2707.
	C12	Beutler et al., (1988), "Tumor Necrosis, C Rev. Biochem., 57:505-518.	achexia, Shock, and Inflammation: A Common Mediator," Ann.
	C13	Bissery et al., (1997), "The Taxoids," in <u>C</u> ed., 175-193.	Cancer Therapeutics: Experimental and Clinical Agents, Teicher Clonal Antibodies for the Development of Breast Cancer 14-1221.  Example of experimental cancer does not induce acquired drug and ostatin Is Essential for Its Antiangiogenic Activity," Biochemical
	C14	Bjorn et al., (1985), "Evaluation of Mono Immunotoxins," <u>Cancer Research</u> , 45:121	clonal Antibodies for the Development of Breast Capter 4-1221.
,	C15	Bochm et al., (1997), "Antiangiogenic the resistance," Nature, 390:404-407.	rapy of experimental cancer does not induce acquired drug
۲	C16	Boehm et al., (1998), "Zinc-Binding of Er and Biophysical Research Communication	
	C17	Boissel et al., (1993), "Erythropoietin Stro Chemistry, 268:15983-15993.	ucture-Function Relationships," The Journal of Biological
/	C18	Brooks et al., (1994), "Integrin α,β, Anta Angiogenic Blood Vessels," <u>Cell</u> , 79:115	gonists Promote Tumor Regression by Inducing Apoptosis of 7-1164.
1	C19	Buchli et al., (1993), "Structural and Biol Analog," <u>Archives of Biochemistry and B</u>	ogic Properties of a Human Aspartic Acid-126 Interleukin-2 Biophysics, 307:2:411-415.
	C20	binding (Acidic Fibroblast) Growth Facto	tion of the Heparin-binding and Mitogenic Activities of Heparin- or-1 from Its Receptor-binding Activities by Site-directed

EXAMINER David a Screnders DATE CONSIDERED 2/26/04

Mutagenesis of a Single Lysine Residue," Journal of Cell Biology, 111:2129-2138.

NOV 0 6 2003 \$

F M PTO - 1449

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

DW	C2Í	Canfield et al., (1991), "The Binding Affinity of Human IgG for its High Affinity Fc Receptor is Determined by Multiple Amino Acids in the CH2 Domain and Is Modulated by the Hinge Region," <u>Journal of Experimental Medicine</u> , 173:6:1483-1491.
	C22	Cao et al., (1996), "Kringle Domains of Human Angiostatin," The Journal of Biological Chemistry, 271:46:29461-29467.
	C23	Cao et al., (1997), "Kringle 5 of Plasminogen is a Novel Inhibitor of Endothelial Cell Growth," The Journal of Biological Chemistry, 272:36:22924-22928.
	C24	Capon et al., (1989), "Designing CD4 immunoadhesins for AIDS therapy," Nature, 337:525-531.
	C25	Caton et al., (1986), "Structural and functional implications of a restricted antibody response to a defined antigenic region on the influenza virus hemagglutinin," The EMBO Journal, 5:7:1577-1587.
	C26	Chan et al., (1991), "Induction of Interferon y Production by Natural Killer Cell Stimulatory Factor: Characterization of the Responder Cells and Synergy with Other Inducers," J. Exp. Med., pp. 869-879.
	C27	Chang et al., (1989), "Overview of Interleukin-2 as an Immunotherapeutic Agent," <u>Seminars in Surgical Oncology</u> , 5:385-390.
	C28	Chang et al., (1996), "A Point Mutation in Interleukin-2 that Alters Ligand Internalization," Journal of Biological Chemistry, 271:23:13349-13355.
-	C29	Chaudhary et al., (1988), "Selective killing of HIV-infected cells by recombinant human CD4 EVIL CENTE exotoxin hybrid protein," Nature, 335:370-372.
	C30	Chaudhary et al., (1989), "A recombinant immunotoxin consisting of two antibody variable domains fused to Pseudomonas exotoxin," Nature, 339:394-397.
	C31	Chen et al., (1997), "Eradication of Murine Bladder Carcinoma by Intratumor Injection of a Bicistronic Adenoviral Vector Carrying cDNAs for the IL-12 Heterodimer and Its Inhibition by the IL-12 p40 Subunit Homodimer," <u>Journal of Immunology</u> , 159:1:351-358.
	C32	Cheon et al., (1994), "High-affinity binding sites for related fibroblast growth factor ligands reside within different receptor immunoglobulin-like domains," <a href="Proc. Natl. Acad. Sci. USA">Proc. Natl. Acad. Sci. USA</a> , 91: 989-993.
	C33	Chuang et al., (1993), "Effect of new investigational drug taxol on oncolytic activity and stimulation of human lymphocytes," Gynecol. Oncol., 49:291-298.
	C34	Cohen, S. L. et al., (1996), "Human leptin characterization," Nature, 382:589.
	C35	Cole et al., (1997), "Human IgG2 Variants of Chimeric Anti-CD3 Are Nonmitogenic to T Cells," <u>Journal of Immunology</u> , 159:3613-3621.
	C36	Collins et al., (1988), "Identification of Specific Residues of Human Interleukin 2 that Affect Binding to the 70-kDa Subunit (p70) of the Interleukin 2 Receptor," Proc. Natl. Acad. Sci, 85:7709-7713.
	C37	Colombo et al., (1996), "Amount of Interleukin 12 Available at the Tumor Site is Critical for Tumor Regression," Cancer Research, 56:2531-2534.

EXAMINER David a Sculmilers

DATE CONSIDERED 2/26 04 EIVEL 0 2003 ER 1600/2900

MOV 0 6 20	
. mv	FORM PTO - 1449
PER .	TON THE PROPERTY INCOME.
RADE	SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT
	Discission of the second

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

as	C38	D'Amato et al., (1994), "Thalidomide is an inhibitor of angiogenesis," Proc. Natl. Acad. Sci. USA, 91:4082-4085.
	C39	D'Andrea et al., (1992), "Production of Natural Killer Cell Stimulatory Factor (Interleukin 12) by Peripheral Blood Mononuclear Cells," J. Exp. Med., 176:1387-1398.
	C40	Ding et al., (1988), "Zinc-Dependent Dimers Observed in Crystals of Human Endostatin," <u>Proceedings of the National Academy of Sciences of USA</u> , 95:10443-10448.
	C41	Earnest et al., (1992), "Piroxicam and Other Cyclooxygenase Inhibitors: Potential for Cancer Chemoprevention," J. Cell. Biochem, Supp., 161:156-166.
	C42	Eisenthal, (1990), "Indomethacin up-regulated the generation of lymphokine-activated killer-cell activity and antibody-dependent cellular cytotoxicity mediated by interleukin-2," Cancer Immunol, Immunotherap. 31:342-348.
	C43	Fell et al., (1991), "Genetic Construction and Characterization of Fusion Protein Consisting of a Chimeric F(ab') with Specificity for Carcinomas and Human IL-2," The J. of Immunology, 146:7:2446-2452.
1	C44	Fell et al., (1992), "Chimeric L6 antitumor antibody," The J. of Biol. Chem., 267:15552-15558.
-	C45	Friedman, J. M. et al., (1998), "Leptin and the regulation of body weight in mammals," Nature, 395:763-770.  Gasson et al., (1984), "Purified Human Granulocyte Macrophage Colony-Stimulating Factor: Direct Metons on Neutrophils," Science, 226:1339-1342.  Gately et al., (1998), "The Interleukin-12/Interleukin-12 Receptor system: Role in Normal and Pathologic Immune Responses," Annu. Rev. Immunol., 16:495-521.
1	C46	Gasson et al., (1984), "Purified Human Granulocyte Macrophage Colony-Stimulating Factor: Direct Actory on Neutrophils," Science, 226:1339-1342.
	C47	Gately et al., (1998), "The Interleukin-12/Interleukin-12 Receptor system: Role in Normal and Pathologic Immune Responses," Annu. Rev. Immunol., 16:495-521.
	C48	Gillessen et al., (1995), "Mouse Interleukin-12 (IL-12) p40 Homodimer: A Potent IL-12 Antagonist," Eur. J. Immunol., 25:200-206.
	C49	Gillies et al., (1989), "Expression of Human Anti-Tetanus Toxoid Antibody in Transfected Murine Myeloma Cells," Bio/Technology, 7:799-804.
	C50	Gillies et al., (1989), "High-Level Expression of Chimeric Antibodies Using Adapted cDNA Variable Region Cassettes," J. Immunol. Methods, 125:191-202.
	C51	Gillies et al., (1990), "Antigen binding and biological activities of engineered mutant chimeric antibodies with human tumor specificities," <u>Hum. Antibod. Hybridomas</u> , 1:1:47-54.
	C52	Gillies et al., (1992), "Antibody-Targeted Interleukin 2 Stimulates T-Cell Killing of Autologous Tumor Cells," Proc. Natl. Acad. Science, 89:1428-1432.
	C53	Gillies et al., (1993), "Biological Activity and In Vivo Clearance of Antitumor Antibody/Cytokine Fusion Proteins," Bioconjugate Chem., 4:230-235.
<b>T</b>	C54	Gillies et al., (1998), "Antibody-IL-12 fusion proteins are effective in SCID mouse models of prostate and colon carcinoma matastases," J. Immunology, 160:2:6195-6203.

Sacurder DATE CONSIDERED 2/26/04

MOV 0 6 2003 5

RM PTO - 1449 SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

_		
sex	C55	Gillis et al., (1978), "T Cell Growth Factor: Parameters of Production And A Quantitative Microassay for Activity," <u>Journal of Immunology</u> , 120:6:2027-2032.
	C56	Goeddel et al., (1986), "Tumor Necrosis Factors: Gene Structure and Biological Activities," <u>Pharm. Sciences</u> , pp. 597-609.
1.	C57	Gren et al., (1983), "A New Type of Leukocytic Interferon," <u>Dokl. Biochem.</u> , 269:91-95.
	C58	Griffon-Etienne et al., (1999), "Taxane-induced apoptosis decompresses blood vessels and lowers interstitial fluid pressure in solid tumors: clinical implications," <u>Cancer Research</u> , 59:3776-3782.
	C59	Grimaldi et al., (1989), "The t(5;14) Chromosomal Translocation in a Case of Acute Lymphocytic Leukemia Joins the Interleukin-3 Gene to the Immunoglobulin Heavy Chain Gene," <u>Blood</u> , 73:8:2081-2805.
	C60	Guyre et al., (1997), "Increased potency of Fc-receptor-targeted antigens," Cancer Immunol. Immunother., 45:146-148.
	C61	Harris et al., (1993), "Therapeutic Antibodies - the Coming of Age," Tibtech, 11:42-44.
	C62	Harvill et al., (1995), "An IgG3-IL2 Fusion Protein Activates Complement, Binds FcYRI, Generates LAK Activity and Shows Enhanced Binding to the High Affinity IL-2R," Immunotech., 1:95-105.
	C63	Harvill et al., (1996), "In vivo properties of an IgG3-IL-2 fusion protein: A general strategy for immune potentiation," <u>Journal of Immunology</u> , 157:7:3165-3170.
	C64	Hazama et al., (1993), "Adjuvant-Independent Enhanced Immune Responses to Recombinant Herpes Simplex Virus Type 1 Glycoprotein D by Fusion with Biologically Active Interleukin-2," Vaccine, 1 1997 636.
	C65	He et al., (1998), "Humanization and Pharmacokinetics of Monoclonal Antibody with Specificity for Both L., and P-Selectin," I. Immunol., 1029-1035.
	C66	Heijnen et al., (1996), "Antigen Targeting to Myeloid-specific Human FcYRI/CD64 Triggers Enhanced Antibody Responses in Transgenic Mice," <u>J. Clin. Invest.</u> , 97:2:331-338.
	C67	Heinzel et al., (1997), "In Vivo Production and Function of IL-12 p40 Homodimers," J. Immunol., 158:4381-4388.
	C68	Hellstrom et al., (1986), "Antitumor effects of L6, an IgG2a antibody that reacts with most human carcinomas," Proc. Natl. Acad. Sci., 83:18: 7059-7063.
	C69	Henkart, (1985), "Mechanism of Lymphocyte-Mediated Cytotoxicity," Ann. Rev. Immunol., 3:31-58.
	C70	Herrmann et al., (1989), "Hematopoeitic Responses With Advanced Malignancy Treated With Recombinant Human Granulocyte-Macrophage Colony-Stimulating Factor," <u>Journal of Clinical Oncology</u> , 7:2:159-167.
a - "	C71	Hohenester et al., (1998), "Crystal Structure of the Angiogenesis Inhibitor Endostatin at 1.5 Å Resolution," EMBO Journal, 17:6:1656-1664.
J	C72	Holden et al., (2001), "Augmentation of Anti-Tumor Activity of KS-IL2 Immunocytokine with Chemotherapeutic Agents," <u>Proceedings of the American Association for Cancer Research</u> , 42:683, Abstract No. 3675.

EXAMINER David a Saunders DATE CONSIDERED

MOV	0	8	2003	2

FQ M PTO - 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

_		
gul	C73	Holden et al., (2001), "Augmentation of Antitumor activity of an Antibody-Interleukin 2 Immunocytokine with Chemotherapeutic Agents," Clinical Cancer Research, 7:2862-2869.
1	C74	Hoogenboom et al., (1991), "Construction and expression of antibody-tumor necrosis factor fusion proteins," Molecular Immunology, 28:9:1027-1037.
	C75	Hoogenboom et al., (1991), "Targeting of Tumor Necrosis Factor to Tumor Cells Secretion by Myeloma Cells of a Genetically Engineered Antibody-Tumor Necrosis Factor Hybrid Molecule," <u>Biochim. and Biophys. Acta</u> , 1096:4:345-354 (Abstract).
	C76	Hornick et al, (1999), "Pretreatment with a monoclonal antibody/interleukin-2 fusion protein directed against DNA enhances the delivery of therapeutic molecules to solid tumors," Clin. Cancer Res., 5:51-60.
	C77	Hu et al., (1996), "A Chimeric Lym-1/Interleukin 2 Fusion Protein for Increasing Tumor Vascular Permeability and Enhancing Antibody Uptake'," Cancer Research, 56:4998-5004.
	C78	Huck et al., (1986), "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human Cy genes," <u>Nucleic Acids Research</u> , Vol. 14:4:1779-1789.
	C79	Huse et al., (1989), "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda," Science, 246:1275-1281.
	C80	Ingber et al., (1990), "Synthetic analogues of fumagillin that inhibit angiogenesis and suppress tumour growth," Nature, 348:555-557.
	C81	Jones et al., (1986), "Replacing the complementarity-determining regions in a human antibody with those from a mouse," Nature, 321:6069:522-525.
	C82	Ju et al., (1987), "Structure-Function Analysis of Human Interleukin-2," Journal of Biological Chemistre 262:12:5723-5731.
	C83	Jung et al., (1986), "Activation of human peripheral blood mononuclear cells by anti-T3: Killing of turnory target cells coated with anti-target-anti-T3 conjugates," Proc. Natl. Acad. Sci., 83:4479-4483.
	C84	Junghans et al., (1996), "The protection receptor of IgG catabolism is the B2-micorgobulin-containing incontaining intensional transport receptor," Proc. Natl. Acad. Sci., 93:11:5512-5516.
	C85	Kang et al., (1991), "Antibody redesign by chain shuffling from random combinatorial immunoglobulin libraries," Proc. Natl. Acad. Sci., 88:11120-11123.
	C86	Kappel et al., (1992), "Regulating gene expression in transgenic animals," <u>Current Opinion in Biotechnology</u> 3:548-553
	C87	Karpovsky et al., (1984), "Production of Target-Specific Effector Cells using Hetero-Cross Linked Aggregate Containing Anti-Target Cell and AntiFcλ Receptor Antibodies," <u>Journal of Experimental Medicine</u> , 160:6:1686-1701.
	C88	Kim et al., (1997), "An Ovalbumin-IL-12 fusion protein is more effective than ovalbumin plus free recombinant IL-12 in inducing a T helper cell type 1-dominated immune response and inhibiting antigenspecific IgE production," Journal Immunology, 158:9:4137-4144.

EIVEL 0 2003 1600/2900

EXAMINER David a Sacreda DATE CONSIDERED 4

MOV 0 6 2003 \$

RM PTO - 1449

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001 GROUP: 1644

Sw	C89	Kim et al., (1999), "Cytokine Molecular Adjuvants Modulate Immune Responses Induced by DNA Vaccine Constructs for HIV-1 and SIV," <u>Journal of Interferon and Cytokine Research</u> , 19:77-84.			
1	C90	Kranz et al., (1984), "Attachment of an anti-receptor antibody to non-target cells renders them susceptiblysis by a clone of cytotoxic T lymphocytes," <a href="Proc. Natl. Acad. Sci.">Proc. Natl. Acad. Sci.</a> , 81:7922-7926.			
	C91	Kuo et al., (2001), "Oligomerization-dependent Regulation of Motility and Morphogenesis by the Collage XVIII NCI/Endostatin Domain," <u>Journal of Cell Biology</u> , 152:6:1233-1246.			
	C92	LaVallie et al., (1993), "Cloning and Functional Expression of a cDNA Encoding the Catalytic Subunit of Bovine Enterokinase," <u>Journal of Biological Chemistry</u> , 268:31:23311-23317.			
	C93	Lazar et al., (1988), "Transforming Growth Factor a: Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities," Molecular and Cellular Biology, 8:3:1247-1252.			
	/ C94	LeBerthon et al., (1991), "Enhanced Tumor Uptake of Macromolecules Induced by a Novel Vasoactive Interleukin 2 Immunoconjugate," Cancer Research, 51:2694-2698.			
	C95	Lieschke, et al., (1997), "Bioactive murine and human interleukin-12 fusion proteins which retain antitumor activity in vivo," Nature Biotechnology, 15:1:35-40.			
	C96	Linsley et al., (1991), "CTLA-4 is a Second Receptor for B Cell Activation Antigen B7," <u>Journal of Experimental Medicine</u> , 174:3:561-569.			
-	C97	Liu et al., (1985), "Heteroantibody Duplexes Target Cells for Lysis by Cytotoxic T Lymphocytes," Proc. Natl. Acad. Sci., 82:8648-8652.			
	C98	Liu et al., (1988), "Hormone Conjugated with Antibody to CD3 Mediates Cytotoxic T Cell Lysis of Melanoma Cells," Science, 239:395-398.			
Ţ.	C99	Liu et al., (1998), "Immunostimulatory CpG Oligodeoxynucleotides Enhance the Immune Response to VOV 1 Vaccine Strategies Involving Granulocyte-Macrophage Colony-Stimulating Factor," Blood, 97 177330-3736.			
i.	C10				
	C10	Lode et al., (1998), "Immunocytokines: a promising approach to cancer immunotherapy," Pharmacol. Thera., 80:3:277-292.			
	C102				
	C10:	Lode et al., (1999), "Synergy between an antiangiogenic integrin α <sub>v</sub> antagonist and an antibody-cytokine fusion protein eradicates spontaneous tumor metastases," <u>Proc. Natl. Acad. Sci.</u> , 96:1591-1596.			
ŕ	C104	Lode et al., (1999), "Tumor-targeted IL-2 amplifies T cell-mediated immune response induced by gene therapy with single-chain IL-12," Proc. Natl. Acad. Sci., 96:8591-8596.			
J	C10:	Lode et al., (2000), "Amplification of T Cell Mediated Immune Responses by Antibody-Cytokine Fusion Proteins," <a href="Immunological Investigations">Immunological Investigations</a> , 29:2:117-120.			

EXAMINER Devil a Saunder DATE CONSIDERED

DISCLOSURE STATEMENT

NOV 0 6 2003 \$

FORM PTO - 1449 SUPPLEMENTAL IN	ATTORNEY DOCKET NO.: LEX-011 (4006/23)
SUPPLEMENTAL IN	APPLICANT(S): Gillies et al.

SERIAL NO.: 09/780,668

CONF.: 8264

FILING DATE: February 09, 2001

GROUP: 1644

		112110 21121 1001411, 00, 2001			
us	C106	Maloney et al., (1994), "Phase I Clinical Trial Using Escalating Single-Dose Infusion of Chimeric Anti- CD20 Monoclonal Antibody (IDEC-C2B8) in Patients with Recurrent B-Cell Lymphoma," <u>Blood</u> , 84:8:2457-2466.			
	C107	Mark et al., (1992), "Expression and characterization of hepatocyte growth factor receptor-lgG fusion proteins," <u>Journal of Biological Chemistry</u> , 267:36:26166-26171.			
	Č108	Martinotti et al., (1995), "CD4 T Cells Inhibit in vivo the CD8-Mediated Immune Response Agents Murto, Colon Carcinoma Cells Transduced with Interleukin-12 Genes," <u>Eur. J. Immunol</u> . 25:137-146.	· VI		
,	C109 Medesan et al., (1997), "Delineation of the Amino Acid Residues Involved in Transcytosis and Catabolic of Mouse IgG1 <sup>1</sup> ," J. Immunology, 158:5:2211-2217.				
	C110	CD20 Monoclonal Antibody (IDEC-C2B8) in Patients with Recurrent B-Cell Lymphoma," Blood, 84:8:2457-2466.  Mark et al., (1992), "Expression and characterization of hepatocyte growth factor receptor-lgG fusion proteins," Journal of Biological Chemistry, 267:36:26166-26171.  Martinotti et al., (1995), "CD4 T Cells Inhibit in vivo the CD8-Mediated Immune Response Again Multiple Colon Carcinoma Cells Transduced with Interleukin-12 Genes," Eur. J. Immunol. 25:137-146.  Medesan et al., (1997), "Delineation of the Amino Acid Residues Involved in Transcytosis and Cataborism of Mouse IgG1 <sup>1</sup> ," J. Immunology, 158:5:2211-2217.  Mestre et al., (1997), "Retinoids Suppress Epidermal Growth Factor-induced Transcription of Cyclooxygenase-2 in Human Oral Squamous Carcinoma Cells," Cancer Research, 57:2890-2895.	Rogo .		
	C111	Mosmann et al., (1989), "THI and TH2 CELLS: Different Patterns of Lymphokine Secretion Lead to Different Functional Properties," Ann. Rev. Immunol, 7:145-173.			
	C112	Mott et al., (1995), "The Solution Structure of the F42A Mutant of Human Interleukin 2," J. Mol. Biol., 247:979-994.			
	C113	Mullins et al., (1998), "Interleukin-12 overcomes paclitaxel-mediated suppression of T-cell proliferation," Immunopharmacol. Immunotoxicol., 20:4:473-492.			
	C114	Murphy et al., (1986), "Genetic construction, expression, and melanoma-selective cytotoxicity of a diphtheria toxin-related α-melanocyte-stimulating hormone fusion protein," <u>Proc. Natl. Acad. Sci.</u> , 83:8258-8262.			
	C115	Murphy, (1988), "Diphtheria-related peptide hormone gene fusions: A molecular gene approach to chimeric toxin development," <a href="https://example.com/mmunotoxins">Immunotoxins</a> , 123-140.			
	C116	Nedwin et al., (1985), "Human Lymphotoxin and Tumor Necrosis Factor Genes: Structure, Homology and Chromosomal Localization," Nucleic Acids Research, 13:17:6361-6373.			
	C117	Netti et al., (1995), "Time-dependent behavior of interstitial fluid pressure in solid tumors: implications for drug delivery," Cancer Research, 55:5451-5458.			
	C118	Netti et al., (1999), "Enhancement of fluid filtration across tumor vessels: implication for delivery of macromolecules," Proc. Nat. Acad. Sci, 96:3137-3142.			
	C119	Neuberger et al., (1984), "Recombinant Antibodies Possessing Novel Effector Functions," Nature, 312:604-608.			
V	C120	O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell, 79:315-328.			
*	C121	O'Reilly et al., (1996), "Angiostatin induces and sustains dormancy of human primary tumors in mice,"  Nature Medicine, 2:6:689-692.			

DATE CONSIDERED

		وخوالات المتابع المتاب			
RM PTO - 14	149	ATTORNEY DOCKET NO.: LEX-011 (4006/23)			
	AL INFORMATION	APPLICANT(S): Gillies et al.			
DISCLOSURES	STATEMENT	SERIAL NO.: 09/780,668 CONF.: 8264			
		FILING DATE: February 09, 2001 GROUP: 1644			
JY C122	O'Reilly et al., (1997), "Endostatin: An E. 88:277-285.	ndogenous Inhibitor of Angiogenesis and Tumor Growth," <u>Cell.</u>			
C123	Pastan et al., (1989), "Pseudomonas Exoto 264:26:15157-15160.	oxin: Chimeric Toxins," <u>Journal of Biological Chemistry</u> ,			
C124	Paul et al., (1988), "Lymphotoxin," Ann.	Rev. Immunol., 6:407-438.			
( C125		f Human Peripheral Blood T Cells by Heteroaggregates Containing ntibodies," J. Exp. Medicine, 163:166-178.			
C126	Marker," Journal of Immunology, 142:10:	Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," <u>Journal of Immunology</u> , 142:10:3662-3667.			
C127	Polizzi et al., (1999), "A novel taxane with improved tolerability and therapeutic activity in a panel of human tumor xenografts," Cancer Research, 59:1036-1040.  Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Nat'l Acad. Sci., 94:20:10889-10894.  Reisfeld et al., (1996), "Recombinant antibody fusion proteins for cancer immunotherapy," Current Topics Microbiology and Immunology, 27-53.  Reisfeld et al., (1997), "Immunocytokines: a new approach to immunotherapy of melanoma," Malanoma Research, 7:2:S99-S106.  Riethmuller et al., (1994), "Randomised trial of monoclonal antibody for adjuvant therapy of resected Dukes' C colorectal carcinoma," The Lancet, 343:1177-1183.  Roessler et al., (1994), "Cooperative interactions between the interleukin 2 receptor α and β chains alter the interleukin 2-binding affinity of the receptor subunits," Proc. Natl. Acad. Sci., 91:3344-3347.  Point et al., (1993), "The Pole of Th Cells in the Selection of Effector Mechanisms Directed Against Target.				
C128	Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," <a href="https://example.com/Proc. Nat'l Acad. Sci.">Proc. Nat'l Acad. Sci.</a> , 94:20:10889-10894.				
-C129-	Reisfeld et al., (1996), "Recombinant antil Microbiology and Immunology, 27-53.	body fusion proteins for cancer immunotherapy," Current Topics			
C130	Reisfeld et al., (1997), "Immunocytokines Research, 7:2:S99-S106.	ytokines: a new approach to immunotherapy of melanoma," Melanoma			
C131	Riethmuller et al., (1994), "Randomised to Dukes' C colorectal carcinoma," The Land	ised trial of monoclonal antibody for adjuvant therapy of resected trial of monoclonal antibody for adjuvant therapy of resected trial is a second control of the control o			
C132	Roessler et al., (1994), "Cooperative interinterleukin 2-binding affinity of the recept	teractions between the interleukin 2 receptor α and β chains alter the ceptor subunits," Proc. Natl. Acad. Sci., 91:3344-3347.			
C133	Roitt et al., (1993), "The Role of TH Cells Antigens," <u>Immunology</u> , Third Edition, 8.	Cens in the Selection of Effector Mechanisms Directed Against Target			
C134	Rosenberg, (1988), "Immunotherapy of C Immunology Today, 9:2:58-62.	ancer Using Interleukin 2: current status and future prospects,"			
C135	Rozwarski et al., (1994), "Structural comp 2:3:159-173.	parisons among the short-chain helical cytokines," Structure,			
C136	Santon et al., (1986), "Effects of Epiderma A431 Cells in Nude Mice," Cancer Resea	al Growth Factor Receptor Concentration on Tumorigenicity of rch, 46:4701-4705.			
C137		and tissue forms of the C-terminal globular domain of collagen or endostatin," The EMBO Journal, 17:15:4249-4256.			
C138	Sauve et al., (1991), "Localization in hum interleukin 2 receptor," <u>Proc. Natl. Acad.</u>	nan interleukin 2 of the binding site of the α chain (p55) of the Sci., 88:4636-4640.			
	<del></del>				

EXAMINER Quil a Saunder DATE CONSIDERED 2/26/04

C153

C154

C155

MOV 0 6 200		<u> </u>							
EN & TRADEL	FORM PTO - 1449				ATTORNEY DOCKET NO.: LEX-011 (4006/23)				
TO TRADEN	SUI			AL INFORMATION	APPLICANT(S): Gillies et al.				
	DIS	CLU	SURES	STATEMENT	SERIAL NO.: 09/780,668 CONF.: 8264				
_			1		FILING DATE: February 09, 2001 GROUP: 1644				
	Du C139			Schnee et al., (1987), "Construction and expression of a recombinant antibody-targeted plasminogen activator," Proc. Natl. Acad. Sci., 84:6904-6908.					
•	C140			Schoenhaut et al., (1992), "Cloning and Expression of Murine IL-12," <u>Journal of Immunology</u> , 148:11:3433-3340.					
•			C141	Senter et al., (1988), "Anti-tumor effects of antibody-alkaline phosphatase conjugates in combination with etoposide phosphate," Proc. Natl. Acad. Sci., 85:13:4842-4846.					
•			C142	Shanafelt et al., (2000), "A T-cell-selectiv tolerated in vivo," Nature Biotechnology,	re interleukin 2 mutein exhibits potent antitumor activity and is well 18:1197-1202.				
	\ \ 		C143	Sharma et al., (1999), "T cell-derived IL-10 promotes lung cancer growth by suppressing both T cell and APC function," <u>Journal of Immunology</u> , 163:5020-5028.					
			C144	Shen et al., (1986), "Heteroantibody-Mediated Cytotoxicity: Antibody to the high affinity Fc receptor for 1gG mediates cytotoxicity by human monocytes that is enhanced by interferon-λ and is not blocked by human 1gG," Journal of Immunology, 137:11:3378-3382.					
			C145		Asprin-like Compound, Inhibits Proliferation, Causes Cell Cycle 7-29 Colon Adenocarcinoma Cells," <u>Journal of Clinical</u>				
			C146		cterization of an antibody binding specificity joined to insulin-like r cellular targeting," Proc. Natl. Acad. Sci., 87:5322-5326.				
			C147	Sim et al., (1997), "A Recombinant Human Angiostatin Protein Inhibits Experimental Primary and Metastatic Cancer," Cancer Research, 57:1329-1334.					
			C148	Stevenson et al., (1997), "Conjugation of Human Fcy in Closed-Hinge or Open-Hinge Configuration to Fab'y and Analogous Ligands," <u>Journal of Immunology</u> , 158:2242-2250.					
		,	C149	Sulitzeanu et al., (1993), "Immunosuppressive factors in human cancer," Adv. Cancer Research, 60:247-267					
			C150	Taniguchi et al., (1983), "Structure and ex 302:305-309.	xpression of a cloned cDNA for human interleukin-2," Nature,				
			C151		ted Chimeric Mouse IgG: Role of Carbohydrate in the Structure Human IgG Constant Region," <u>Journal of Immunology</u> , 143:8:2595-				
			C152	Tao et al., (1993), "Structural Features of Complement Activation," Journal of Expe	Human Immunoglobulin G that Determine Isotype-Differences in erimental Medicine, 178:2:661-667.				

EXAMINER David a Sciences DATE CONSIDERED 26/04

The Merck Manual of Diagnosis and Therapy, 990-993, 1278-1283 (17th ed. 1999).

Chain-containing Immunotoxins," Cancer Research, 48:5:1119-1123

Angiogenic Agents," Int. J. Cancer, 57:920-925.

Teicher et al., (1994), "Potentiation of Cytotoxic Cancer Therapies by TNP-470 Alone and With Other Anti-

Till et al., (1988), "An Assay that Predicts the Ability of Monoclonal Antibodies to Form Potent Ricin A

AKCK ON SA BOOM

FORM PTO - 1449

ATTORNEY DOCKET NO.: LEX-011 (4006/23)

			•		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT			APPLICANT(S): Gillies et al.		
			SERIAL NO.: 09/780,668 CONF.: 8264		
			FILING DATE: February 09, 2001 GROUP: 1644		
ous	C156	Till et al., (1988), "HIV-Infected Cells are	Killed by rCD4-Ricin A Chain," Science, 242:1166-1168		
			okine Produced by Antigen-Presenting Cells With ation of T-Helper Cells Type 1 and Cytotoxic Lymphocytes,"		
	C158	Vagliani et al., (1996), "Interleukin 12 Pot transduced Tumor Cells," <u>Cancer Research</u>	tentiates the Curative Effect of a Vaccine Based on Interleukin 2- h, 56:467-470.		
1	C159 Varki et al., (1984), "Antigens Associated with a human lung adenocarcinoma defined by monoclonal antibodies," Cancer Research, 44:681-687.				
	C160	Verhoeyen et al., (1988), "Reshaping Human Antibodies: Grafting an Antilysozyme Activity," Science, 239:1534-1536.			
	C161		ression of Fas (Apo-1/CD95) ligand on multiple myeloma cells: a oppression of immune surveillance," <u>Blood</u> , 90:1:12-20.		
	C162	Watanabe et al., (1997), "Long-term depletion of naive T cells in patients treated for Hodgkin's disease," Blood, 90:9:3662-3672.			
	C163	Wen et al., (1993), "Erythropoietin Structt Among Mammals," <u>Blood</u> , 82:1507-1516.	ure-Function Relationships: High Degree of Sequence Homology		
	C164	<ul> <li>Wen et al., (1993), "Erythropoietin Structure-Function Relationships: High Degree of Sequence Homology Among Mammals," Blood, 82:1507-1516.</li> <li>Williams et al., (1986), "Production of antibody-tagged enzymes by myeloma cells: application to DNA polymerase I Klenow fragment," Gene, 43:319-324.</li> <li>Williams et al., (1987), "Diphtheria toxin receptor binding domain substitution with interleukin-2: genetic construction and properties of a diphtheria toxin-related interleukin-2 fusion protein," Protein Engineering, 1:6:493-498.</li> <li>Wooley et al., (1993), "Influence of a Recombinant Human Soluble Tumor Necrosis Factor Receptor 16:493-498.</li> <li>Wu et al., (1997), "Suppression of Tumor Growth with Recombinant Murine Angiostatin," Biochemical and Biophysical Research Communications, 236:651-654.</li> <li>Xiang et al., (1997), "Elimination of Established Murine Colon Carcinoma Metastases by Antibody-Interleukin 2 Fusion Protein Therapy," Cancer Research, 57:4948-4955.</li> </ul>			
	C165	Williams et al., (1987), "Diphtheria toxin construction and properties of a diphtheria 1:6:493-498.	receptor binding domain substitution with interleukin-2: genetic a toxin-related interleukin-2 fusion protein," Protein Engineering,		
	C166	Wooley et al., (1993), "Influence of a Rec Fusion Protein on Type II Collagen-Induc	ombinant Human Soluble Tumor Necrosis Factor Receptor 16. ed Arthritis in Mice," <u>Journal Immunology</u> , 151: 6602-6607.		
	C167	Wu et al., (1997), "Suppression of Tumor Biophysical Research Communications, 2	Growth with Recombinant Murine Angiostatin," <u>Biochemical and</u> 36:651-654.		
	C168	Xiang et al., (1997), "Elimination of Estal Interleukin 2 Fusion Protein Therapy," <u>Ca</u>	olished Murine Colon Carcinoma Metastases by Antibody- uncer Research, 57:4948-4955.		
	C169		oncytolytic IL-10/Fc in muring models of lipopolysaccharide- ansplantation," <u>Journal of Immunology</u> , 154:5590-5600.		
V.	Ć170		I in the IgG1 and IgG4 CH2 Domains Contributes to Their Complement," J. Biol. Chem., 269:3469-3474.		

2698127

	·	
EXAMINER David a Saunders	DATE CONSIDERED	2/26/04
	<del></del>	<del></del>